

13 CM Mid-Range Speaker



**SPECIFICATIONS**

General Data			Unit	FEATURES
Overall Dimensions	Ø130 x 63	mm		Steel Basket
Nominal Power Handling	60	W		Pressed Paper Cone, Treated Cloth Surround
Maximum Power	170	W		Dome Paper Dustcap
Sensitivity	92	dB		High Temperature CCAW Voice Coil
Frequency Response	200~18000	Hz		Ferrite Magnet Structure
Cone Material	Pressed Paper			
Basket	Steel			
Net Weight	1.04	kg		
<b>Electrical Data</b>				
Nominal Impedance	4	Ohm		
DC Resistance	3.2	Ohm		
<b>Voice Coil and Magnet Parameters</b>				
Voice Coil Diameter	25.9	mm		
Voice Coil Height	6.5	mm		
Magnetic Gap Height	5	mm		
Voice Coil Robbin	Kapton			
Number of Layers	2L			
<b>T-S Parameters</b>				
Suspension Compliance	115.988µM/N	Cms		
Mechanical Q Factor	4.752	Qms		
Electrical Q Factor	1.254	Qes		
Total Q Factor	0.992	Qts		
Moving Mass	4.573g	Mms		
Eq. Cas AIR Loaded	1.330L	Vas		
Resonant Frequency	218.518Hz	Fs		
Effective Piston Area	89.87cm <sup>2</sup>	SD		

**Dimensions**



